84% of Enemeez® users report time to evacuation from 1-20 minutes after insertion.5

### **Dosing**

283mg delivered dose of docusate sodium per 5mL mini-enema.

#### Indication



**Enemeez**® and **Enemeez**® **Plus** mini-enemas penetrate and soften the stool, promoting a bowel movement. The unique formulations function as a stool softening hyper-osmotic laxative by drawing water into the bowel from surrounding body tissues.


Enemeez® Plus contains 20mg of benzocaine, assisting in the anesthetization of the rectum and lower bowel. The formulation was developed for patients who experience painful bowel movements.


### Therapeutic Efficacy

- Fast, predictable results typically in **2-15 minutes.**<sup>1</sup>
- Safe, effective, non-irritating formula for bowel care.
- Can virtually eliminate episodes of incontinence.<sup>2</sup>
- No mucosal discharge; helps to maintain healthy skin integrity.<sup>3</sup>
- Easy rectal usage for patients with reflux issues or nausea.
- Enemeez® Plus assists with painful bowel movements.

# Clinical Comparisons: $Enemeez^{@}$ Mini-Enema and Bisacodyl Suppository

Summary: 42% of bisacodyl users experienced at least one episode of incontinence when using a suppository, whereas that number drops significantly, to only 3%, when using **Enemeez**® mini-enemas.






Summary: Study supported that patients using the docusate sodium mini-enema had a bowel movement almost twice as fast as patients using a bisacodyl suppository. Time from flatus to total transfer of patient.

# TOTAL TIME/MINUTES FOR BOWEL CARE\*

Glen house, j, & stiens, s. (1997). Pharmacologically initiated defecation for persons with Spinal cord injury: effectiveness of three agents. Arch phys med rehabil, 78: 1062-1065.



### **Volume Comparison**

Summary: The *Enemeez*® mini-enema delivers 89-98% less liquid volume than that of a large volume enema while still delivering **fast**, **safe**, and **effective** bowel care for patients.



# Proven. Trusted. Value.

Prescribers believe in the *Enemeez*° product line with over 22 million dosing units sold!


## **Clinical Pharmacoeconomics**

### What does an ineffective bowel care protocol cost your facility?

- 1. The total annual labor and supply cost in 2002 per long term care resident with constipation was \$2,253. \*4 \*Today's cost would be substantially more.
- 2. 46% of long-term care residents experience fecal incontinence on a regular basis.<sup>5</sup>
- 3. The mean time spent each day dealing with incontinence was 52.5 minutes per patient or \$27.19 per day, per patient.<sup>4</sup>

The total annual cost of incontinence per patient was \$16,976.

# **Ordering Information**



## National Drug Code Numbers:

**Enemeez**<sup>®</sup> 17433-9876-03 **Enemeez**<sup>®</sup> **Plus** 17433-9877-03

#### **HCPCS Codes:**

A4649 – general or generic billing code A9999 – general or generic billing code A4335 – incontinence supply/miscellaneous

#### Wholesale Item Numbers:

lus

1.Federal Register / Vol. 50, No. 10 / Tuesday, January 15, 1985 / Proposed Rules; pgs 2124-2158. 2. Alliance Labs in-house research. Customer Survey 4.27.2011 3.Mode of action. Alliance Labs in-house research. Customer Survey, Feb. 21, 2014. 4. Time and Economic Cost of Constipation Care in Nursing Homes\* - J AmMed Dir Assoc 2002; 3: 215-223. \*Nursing wage of #31.08 for a Staff Nurse taken from 2012 Salary Survey Results from ADVANCE for Nurses. 5. Urinary and Fecal Incontinence in Nursing Home Residents 6.Felix W. Leung, MD, Professor of Medicine and John F. Schnelle, PhD, Hamilton Chair Professor. The material contained is for reference purposes only. Alliance Labs, LLC and Summit Pharmaceuticals do not assume responsibility for patient care. Consult a physician prior to use. Copyright 2019 Summit Pharmaceuticals and Alliance Labs LLC. ENZ006 02.27.19